



since 1946

Ernest Fleming
machinery & equipment pty ltd

Website: www.fleming.com.au

Phone: (+61) 02 9427 3270

Email: sales@fleming.com.au

Address: 7/27 Mars Rd, Lane Cove West, Sydney NSW 2066 Australia

Flamingo High Speed Vertical Mixer

Flamingo High Speed EFVM series mixers are very simple structure, fast mixing speed, easy to operate, maintain and clean.

EFVM used in many industries such as powder metallurgy, pottery, chemical industry and food industry.

Benefits

- Affordable
- NEW Flamingo design and technology
- All stainless steel grade #304 contact
- Easy to use
- Adjustable Mixing time control
- Adjustable Mixing Speed (if VSD included)
- Mixing Paddle can be removed for Cleaning purpose
- Safety Interlocks
- Compact and mobile
- Easy discharge of product
- IP66 Control Box with batch timer
- Stainless / Synthetic Lock Castors on models up to 360L

EFVM-470




Optional



Internal wipers- Teflon / Metal detectable material




Variable Speed Drive




1



2



3



4

Specifications

full capacity	l	470
working capacity	l	320
bowl size	mm	1000D/660H
outlet height	mm	710
power source	kW/HP	4/5.5
voltage	V	415
rotating speed	r/mm	85
width	mm	1150
height	mm	1420
length	mm	1275
weight	kg	270

* Please confirm specifications on order as features may change

EFVM-120

Flamingo Vertical Mixer 120L / 60Kg



full capacity	l	120
working capacity	l	80
outlet height	mm	490
power source	kW/HP	0.75/1
voltage	V	240
rotating speed	r/mm	85
width	mm	720
height	mm	920
length	mm	730
weight	kg	83

* Please confirm specifications on order as features may change

EFVM-240

Flamingo Vertical Mixer 240L / 120Kg



full capacity	l	240
working capacity	l	160
outlet height	mm	640
power source	kW/HP	1.5/2
voltage	V	415
rotating speed	r/mm	85
width	mm	830
height	mm	1120
length	mm	850
weight	kg	125

* Please confirm specifications on order as features may change

EFVM-630

Flamingo Vertical Mixer 630L / 320 Kg



full capacity	l	630
working capacity	l	420
outlet height	mm	705
power source	kW/HP	7.5/10
voltage	V	415
rotating speed	r/mm	85
width	mm	1250
height	mm	1250
length	mm	1390
weight	kg	313

* Please confirm specifications on order as features may change

EFVM-960

Flamingo Vertical Mixer 960L / 490Kg



full capacity	l	960
working capacity	l	640
outlet height	mm	705
power source	kW/HP	11/15
voltage	V	415
rotating speed	r/mm	85
width	mm	1350
height	mm	2100
length	mm	1450
weight	kg	470

* Please confirm specifications on order as features may change



since 1946

Ernest Fleming
machinery & equipment pty ltd

Website: www.fleming.com.au

Phone: (+61) 02 9427 3270

Email: sales@fleming.com.au

Address: 7/27 Mars Rd, Lane Cove West, Sydney NSW 2066 Australia

Flamingo High Speed Vertical Mixer Specifications



Specifications

	Unit	EFVM-120	EFVM-240	EFVM-370	EFVM-470	EFVM-630	EFVM-960
full capacity	l	120	240	370	470	630	960
working capacity	l	80	160	250	320	420	640
bowl size	mm	610D/645H	740D/610H	880D/620H	1000D/660H	1000D/815H	1150D/940H
outlet height	mm	490	640	725	710	705	705
power source	kW/HP	0.75/1	1.5/2	3/4	4/5.5	7.5/10	11/15
voltage	V	240	415	415	415	415	415
rotating speed	r/mm	85	85	85	85	85	85
width	mm	720	830	1155	1150	1250	1350
height	mm	920	1120	1375	1420	1600	2100
length	mm	790	850	1155	1275	1390	1450
weight	kg	83	125	180	270	313	470

* Please confirm specifications on order as features may change